

98 Camaro Timing Motor
Tunev008 - B5913

[illegible]

**Stock 98 Camaro Auto
High Spark - B5913**

[illegible]

Red Cells Represent Positive Changes from stock

Red Cells Represent Positive Changes from stock

LABELS		Grams/Cylinder {link: GM.DYNCLAIR_DMA}																								
RPM {link:		0.08	0.12	0.16	0.2	0.24	0.28	0.32	0.36	0.4	0.44	0.48	0.52	0.56	0.6	0.64	0.68	0.72	0.76	0.8	0.84	0.88	0.92	0.96	1	
	400	3.0	2.4	1.6	0.4	0.8	1.5	-0.1	1.0	2.0	0.2	1.7	1.5	1.4	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	
	600	2.7	2.4	1.9	0.9	-0.5	-0.5	-0.9	-2.5	-3.1	-2.9	-1.4	0.3	0.4	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	
	800	0.3	0.1	-0.3	-1.1	-3.3	-2.0	-3.0	-3.2	-4.6	-3.0	-1.5	-1.8	-0.9	21.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	
	1000	0.1	-0.1	-0.4	-1.2	-3.2	-1.7	-2.4	-3.4	-3.5	-3.8	-1.1	-1.6	-0.7	18.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	
	1200	-1.1	-1.2	-1.6	-2.4	-3.4	-1.8	-0.4	-1.2	-2.2	-1.3	-1.6	-1.0	-0.1	14.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	
	1400	-2.4	-2.7	-3.3	-4.2	-3.2	-1.5	-1.0	-1.6	-2.5	-2.4	-2.6	-0.8	0.1	11.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	
	1600	-3.4	-3.8	-4.4	-2.4	-2.4	-1.6	-1.1	-2.7	-1.4	-2.2	-1.2	-0.2	0.9	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
	1800	-2.2	-2.5	-3.2	-1.2	-2.2	-1.4	-0.8	-1.3	-0.8	-1.4	-2.2	-1.0	-0.7	6.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
	2000	-1.4	-1.7	-2.4	-0.3	-1.4	-1.5	-0.9	-1.1	-0.5	-1.0	-1.5	-1.1	-1.6	2.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
	2200	-1.1	-1.4	-2.0	0.1	-0.8	-0.9	-0.2	-0.4	-0.6	-0.9	-1.2	-0.5	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
	2400	0.0	-0.4	-0.9	0.4	-0.4	-0.5	0.2	0.1	-1.1	-1.2	-1.3	-0.4	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	2800	-0.1	-0.4	-0.9	0.5	-0.3	-0.4	0.3	0.2	-0.8	-0.8	-1.8	-0.8	-2.0	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	3200	-0.3	-0.7	-1.1	0.3	-0.5	-0.5	0.3	0.2	-0.8	-0.7	-1.5	-1.4	-4.0	-3.0	-2.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	
	3600	0.3	0.1	-0.3	-0.9	-0.7	0.3	0.2	0.1	-0.9	-0.7	-1.4	-1.2	-3.0	-2.0	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	4000	0.1	-0.1	-0.4	-1.0	-0.9	1.1	2.1	2.0	1.0	1.2	1.4	3.7	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
	4400	-0.1	-0.2	-0.5	-1.1	-1.0	1.0	2.0	2.0	1.0	1.1	3.3	3.5	1.0	2.0	2.0	3.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
	4800	-0.3	-0.4	-0.7	-1.3	-1.0	1.0	2.0	2.0	1.0	1.0	3.2	3.3	1.0	2.0	2.0	4.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	
	5200	0.3	0.2	0.1	-0.3	-1.1	1.0	2.0	2.0	1.0	1.0	2.0	2.2	0.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	5600	0.1	0.0	-0.1	-0.5	-1.1	1.0	0.0	1.0	2.0	1.0	0.0	-0.9	-3.0	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	6000	0.0	0.0	-0.3	-0.7	-1.3	0.0	0.0	1.0	2.0	1.0	0.0	-0.9	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
6400	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.0	-0.8	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
6800	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.1	-0.7	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
7200	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.1	-0.6	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
7600	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.2	-0.6	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
8000	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.1	0.3	-0.3	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

IF MSD Pulled 4* from 1800 up

IF MSD Pulled 4* from 1800 up

LABELS	Grams/Cylinder {link: GM.DYNCLAIR_DMA}																								
RPM {link:	0.08	0.12	0.16	0.2	0.24	0.28	0.32	0.36	0.4	0.44	0.48	0.52	0.56	0.6	0.64	0.68	0.72	0.76	0.8	0.84	0.88	0.92	0.96	1	
400	22.0	21.4	20.6	19.4	17.8	15.5	12.9	10.0	7.0	4.2	1.7	-0.5	-2.6	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	0.9	1.0	1.0
600	24.7	24.4	23.9	22.9	21.5	19.5	17.1	14.5	11.9	9.1	6.6	4.3	2.4	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
800	27.3	27.1	26.7	25.9	24.7	23.0	21.0	18.8	16.4	14.0	11.5	9.2	7.1	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
1000	30.1	29.9	29.6	28.8	27.8	26.3	24.6	22.6	20.5	18.2	15.9	13.4	11.3	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
1200	32.9	32.8	32.4	31.6	30.6	29.2	27.6	25.8	23.8	21.7	19.4	17.0	14.9	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
1400	35.6	35.3	34.7	33.8	32.8	31.5	30.0	28.4	26.5	24.6	22.4	20.2	18.1	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
1600	37.6	37.2	36.6	35.6	34.6	33.4	31.9	30.3	28.6	26.8	24.8	22.8	20.9	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
1800	34.8	34.5	33.8	32.8	31.8	30.6	29.2	27.7	26.2	24.6	22.8	21.0	19.3	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
2000	35.6	35.3	34.6	33.7	32.6	31.5	30.1	28.9	27.5	26.0	24.5	22.9	21.4	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
2200	35.9	35.6	35.0	34.1	33.2	32.1	30.8	29.6	28.4	27.1	25.8	24.5	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
2400	36.0	35.6	35.1	34.4	33.6	32.5	31.2	30.1	28.9	27.8	26.7	25.6	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
2800	35.9	35.6	35.1	34.5	33.7	32.6	31.3	30.2	29.2	28.2	27.2	26.2	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
3200	35.7	35.3	34.9	34.3	33.5	32.5	31.3	30.2	29.2	28.3	27.5	26.6	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
3600	35.3	35.1	34.7	34.1	33.3	32.3	31.2	30.1	29.1	28.3	27.6	26.8	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
4000	35.1	34.9	34.6	34.0	33.1	32.1	31.1	30.0	29.0	28.2	27.4	26.7	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
4400	34.9	34.8	34.5	33.9	33.0	32.0	31.0	30.0	29.0	28.1	27.3	26.5	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
4800	34.7	34.6	34.3	33.7	33.0	32.0	31.0	30.0	29.0	28.0	27.2	26.3	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
5200	34.3	34.2	34.1	33.7	32.9	32.0	31.0	30.0	29.0	28.0	27.0	26.2	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
5600	34.1	34.0	33.9	33.5	32.9	32.0	31.0	30.0	29.0	28.0	27.0	26.1	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
6000	34.0	34.0	33.7	33.3	32.7	32.0	31.0	30.0	29.0	28.0	27.0	26.1	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
6400	34.0	33.9	33.7	33.2	32.7	31.9	31.0	30.0	29.0	28.0	27.0	26.2	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
6800	34.0	33.9	33.7	33.2	32.7	31.9	31.0	30.0	29.0	28.0	27.1	26.3	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
7200	34.0	33.9	33.7	33.2	32.7	31.9	31.0	30.0	29.0	28.0	27.1	26.4	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
7600	34.0	33.9	33.7	33.2	32.7	31.9	31.0	30.0	29.0	28.0	27.2	26.4	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
8000	34.0	33.9	33.7	33.2	32.7	31.9	31.0	30.0	29.0	28.1	27.3	26.7	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0